


# Desktop Monitor Mount

## Installation Instructions

Parts Included	
<p><b>Female Tele-pole (RAM-VP-TBF7U)</b></p> <p>Hardware included:            (4) 5/16"-18 x 1" Carriage Bolts            (4) 5/16"-18 Hex Nuts            (4) 5/16" Flat Washers            (4) 5/16" Split Lock Washers            (4) Rubber Caps</p>	
<p><b>Male Tele-pole (RAM- VP-TTM4U)</b></p>	
<p><b>Double Swing Arm (RAM-VB-110-1NBU)</b></p>	
<p><b>VESA Base (RAM-246U) with 4 Shoulder Washers</b></p>	

Parts You May Need to Purchase	
<p>You may need to purchase longer screws to attach your monitor to the VESA base. Most monitors will need <b>at least a 16mm long M4-0.7 pan head Phillips screw (Qty 4)</b>.</p> <p><i>Refer to your monitor's user guide for specific information pertaining to the screw size need for your model.</i></p>	
Tools Needed	
<ul style="list-style-type: none"> <li>• Phillips screwdriver</li> <li>• Pliers</li> <li>• Drill</li> <li>• 3/8" Metal Drill Bit</li> <li>• Pencil</li> </ul>	
Installation	
<ol style="list-style-type: none"> <li>1. Determine where you want the Monitor Mount installed. <i>Be sure to check under the desk to ensure that you will not be drilling through the desk frame.</i></li> <li>2. Use the base of the Female Tele-pole (RAM-VP-TBF7U) as a template to mark where the holes will be drilled.</li> <li>3. After drilling the 4 holes, following the assembly instructions included with the unit.</li> </ol>	
<ol style="list-style-type: none"> <li>4. Remove the monitor from its stand and then unscrew the mounting plate on the back.</li> </ol>	

<p>5. Position the shoulder washers in the appropriate holes in the VESA base and then attach the base to your monitor using either the M4-0.7 pan head Phillips screws (purchased separately) or the ones that came with your monitor (if they are long enough).</p>	
<p>6. Attach the VESA base to the swing arm.</p>	

Video instructions on how to use and adjust the Desktop Monitor mount can be found at: [RAM Double Swing Arm with 4" Male Tele-Pole™, 7" Female Tele-Pole™ & VESA Plate](#)

Professional installation is advised. We recommend contacting a local handyman service such as [Handyman Matters](#) to complete the installation.

If you have questions or require further information, please contact us by email at [support@goergo.com](mailto:support@goergo.com) or by phone at 847-566-4949.